










DE 60









60 E 62
AĞIRLIK : 2.328 kg/m.
JX: 49.02 cm⁴
JY: 42.77 cm⁴





60 E 29
AĞIRLIK : 2.263 kg/m.
JX: 47.77 cm⁴
JY: 40.15 cm⁴



60 E 28
AĞIRLIK : 1.846 kg/m.
JX: 38.13 cm⁴
JY: 19.32 cm⁴



60 E 30
AĞIRLIK : 2.316 kg/m.
JX: 47.10 cm⁴
JY: 41.14 cm⁴




60 E 63

AĞIRLIK : 2.072 kg/m.
JX: 38.80 cm⁴
JY: 23.28 cm⁴


60 E 64

AĞIRLIK : 2.340 kg/m.
JX: 28.05 cm⁴
JY: 58.03 cm⁴



60 E 65

AĞIRLIK : 1.115 kg/m.




60 E 66

AĞIRLIK : 1.037 kg/m.

DE 60

ÇUHADAROĞLU
Alüminyum Sistemleri




60 E 67

AĞIRLIK : 3.492 kg/m.



JX: 204.24 cm⁴ (Kapakla Birlikte)


JY: 204.47 cm⁴ (Kapakla Birlikte)




60 E 68

AĞIRLIK : 1.654 kg/m.







60 E 37
Ağırlık: 3.060 kg/m
JX: 422.94 cm⁴
JY: 6.78 cm⁴




60 E 34
AĞIRLIK : 1.921 kg/m.
JX: 123.69 cm⁴
JY: 4.42 cm⁴




60 E 36
AĞIRLIK : 2.821 kg/m.
JX: 122.20 cm⁴
JY: 39.82 cm⁴




05-2306
Ağırlık: 0.160 kg/m
(Yüzey işlemsiz kullanılır)




60 E 35
AĞIRLIK : 1.926 kg/m.
JX: 36.36 cm⁴
JY: 28.20 cm⁴




60 E 86
AĞIRLIK : 0.649 kg/m.




60 E 83
AĞIRLIK : 0.667 kg/m.




60 E 87
AĞIRLIK : 0.932 kg/m.
JX: 10.86 cm⁴
JY: 14.36 cm⁴




60 E 84
AĞIRLIK : 0.479 kg/m.




60 E 85
AĞIRLIK : 0.491 kg/m.



00-1322
AĞIRLIK : 0.185




40 E 88
AĞIRLIK : 0.255 kg/m.



40 E 87
AĞIRLIK : 0.195 kg/m.




40 E 86
AĞIRLIK : 0.180 kg/m.




04-2179

AĞIRLIK : 1.201 kg/m.




07-2703

AĞIRLIK : 0.763 kg/m.




02-1826

AĞIRLIK : 0,813 kg/m.




04-2178

AĞIRLIK : 0.255 kg/m.




40 E 71

AĞIRLIK : 0.202 kg/m.




3144

AĞIRLIK : 0.223 kg/m




3145

AĞIRLIK : 0.235 kg/m




2606

AĞIRLIK : 0.286 kg/m




3108

AĞIRLIK : 0.306 kg/m




3109

AĞIRLIK : 0.310 kg/m




3110

AĞIRLIK : 0.322 kg/m




3111

AĞIRLIK : 0.336 kg/m




3112

AĞIRLIK : 0.354 kg/m




3113

AĞIRLIK : 0.383 kg/m




3114

AĞIRLIK : 0.396 kg/m




3115

AĞIRLIK : 0.408 kg/m



3116

AĞIRLIK : 0.420 kg/m




3117

AĞIRLIK : 0.432 kg/m



3118

AĞIRLIK : 0.444 kg/m



KAPI PROFİLLERİ / PENCERE PROFİLLERİ / SE 60 PROFİLLERİ (60E25 - 60E26 - 60E27 - 60E28 - 60E29 - 60E 30 - 60E 35 - 60E38 - 60E62- 60 E 63)				
A = 56 mm Montaj Yüksekliği / Construction Depth				
				
Cam (Glass)	Cam Çıtası (Glazing Bead)	B(mm)	İç Cam Fitiği (Internal Glazing Gasket)	Dış Cam Fitiği (External Glazing Gasket)
3	3118	45	MN201	40 D 02
4	3118	45	40D05	40 D 02
5	3118	45	40D03	40 D 02
6	3117	42	MN201	40 D 02
7	3117	42	40D05	40 D 02
8	3117	42	40D03	40 D 02
9	3116	39	MN201	40 D 02
10	3116	39	40D05	40 D 02
11	3116	39	40D03	40 D 02
12	3115	36	MN201	40 D 02
13	3115	36	40D05	40 D 02
14	3115	36	40D03	40 D 02
15	3114	33	MN201	40 D 02
16	3114	33	40D05	40 D 02
17	3114	33	40D03	40 D 02
18	3113	30	MN201	40 D 02
19	3113	30	40D05	40 D 02
20	3113	30	40D03	40 D 02
21	3112	27	MN201	40 D 02
22	3112	27	40D05	40 D 02
23	3112	27	40D03	40 D 02
24	3111	24	MN201	40 D 02
25	3111	24	40D05	40 D 02
26	3111	24	40D03	40 D 02
27	3110	21	MN201	40 D 02
28	3110	21	40D05	40 D 02
29	3110	21	40D03	40 D 02
30	3109	18	MN201	40 D 02
31	3109	18	40D05	40 D 02
32	3109	18	40D03	40 D 02
33	3108	15	MN201	40 D 02
34	3108	15	40D05	40 D 02
35	3108	15	40D03	40 D 02
36	2606	12	MN201	40 D 02
37	2606	12	40D05	40 D 02
38	2606	12	40D03	40 D 02
39	3145	9	MN201	40 D 02
40	3145	9	40D05	40 D 02
41	3145	9	40D03	40 D 02
42	3144	6	MN201	40 D 02
43	3144	6	40D05	40 D 02
44	3144	6	40D03	40 D 02